

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Building-in Power Supply Family

Name and address of the applicant

Bel Fuse Inc.
300 Executive Drive, Suite 300
West Orange NJ 07052
United States of America

Name and address of the manufacturer

Bel Fuse Inc.
300 Executive Drive, Suite 300
West Orange NJ 07052
United States of America

Name and address of the factory

Bel Power Solutions, s.r.o.
Areal ZTS 924
Dubnica nad Vahom 01841
Slovakia

 Additional Factories on Page 2

Note: When more than one factory, please report on page 2

Ratings and Principal characteristics

Input: 88-372Vdc or 100-240Vac



Trademark /Brand (if any)

Customer's Testing Facility (CTF) Stage used

CTF Stage 3

Model/Type Ref.

LKxxxx-zw LSxxxx-zw

 Additional Information on Page 2

Additional information (if necessary may also be reported on Page 2)

IEC 62368-1:2023

A sample of the product was tested and found to be in conformity with

REP117348

As shown in the Test Report Ref. No. which forms part of this Certificate

This CB Test Certificate is issued by the National Certification Body

Philip Pedersen vei 11,
NO-1366 Lysaker, Norway

Date: 2025-10-09

Yasaman Vadoudi

Signature: Yasaman Vadoudi
Certification Department

Additional Information

Output rating, see Test Report.

x can be 0 thru 9 designating output options

z can be 0,5,6,7,9 designating ambient rating

w can be any combination of numbers, letters or blank, designating additional functions or options (up to 4 characters)



Philip Pedersen vei 11,
NO-1366 Lysaker, Norway

Date: 2025-10-09

Yasaman Vadoudi

Signature: Yasaman Vadoudi
Certification Department

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Building-in Power Supply Family

Name and address of the applicant

Bel Fuse Inc.
300 Executive Drive, Suite 300
West Orange NJ 07052
United States of America

Name and address of the manufacturer

Bel Fuse Inc.
300 Executive Drive, Suite 300
West Orange NJ 07052
United States of America

Name and address of the factory

Bel Power Solutions, s.r.o.
Areal ZTS 924
Dubnica nad Vahom 01841
Slovakia

 Additional Factories on Page 2

Note: When more than one factory, please report on page 2

Ratings and Principal characteristics

Input: 20-100Vdc



Customer's Testing Facility (CTF) Stage used

CTF Stage 3

Model/Type Ref.

FKxxxx-zw FSxxxx-zw

 Additional Information on Page 2

Additional information (if necessary may also be reported on Page 2)

IEC 62368-1:2023

A sample of the product was tested and found to be in conformity with

REP117348

As shown in the Test Report Ref. No. which forms part of this Certificate

This CB Test Certificate is issued by the National Certification Body

Philip Pedersen vei 11,
NO-1366 Lysaker, Norway

Date: 2025-10-09

Yasaman Vadoudi

Signature: Yasaman Vadoudi
Certification Department

Additional Information

Output rating, see Test Report.

x can be 0 thru 9 designating output options

z can be 0,5,6,7,9 designating ambient rating

w can be any combination of numbers, letters or blank, designating additional functions or options (up to 4 characters)



Philip Pedersen vei 11,
NO-1366 Lysaker, Norway

Date: 2025-10-09

Yasaman Vadoudi

Signature: Yasaman Vadoudi
Certification Department

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Building-in Power Supply Family

Name and address of the applicant

Bel Fuse Inc.
300 Executive Drive, Suite 300
West Orange NJ 07052
United States of America

Name and address of the manufacturer

Bel Fuse Inc.
300 Executive Drive, Suite 300
West Orange NJ 07052
United States of America

Name and address of the factory

Bel Power Solutions, s.r.o.
Areal ZTS 924
Dubnica nad Vahom 01841
Slovakia

 Additional Factories on Page 2

Note: When more than one factory, please report on page 2

Ratings and Principal characteristics

Input: 67-385Vdc



Trademark /Brand (if any)

Customer's Testing Facility (CTF) Stage used

CTF Stage 3

Model/Type Ref.

EKxxxx-zw ESxxxx-zw

 Additional Information on Page 2

Additional information (if necessary may also be reported on Page 2)

IEC 62368-1:2023

A sample of the product was tested and found to be in conformity with

REP117348

As shown in the Test Report Ref. No. which forms part of this Certificate

This CB Test Certificate is issued by the National Certification Body

Philip Pedersen vei 11,
NO-1366 Lysaker, Norway

Date: 2025-10-09

Yasaman Vadoudi

Signature: Yasaman Vadoudi
Certification Department

Additional Information

Output rating, see Test Report.

x can be 0 thru 9 designating output options

z can be 0,5,6,7,9 designating ambient rating

w can be any combination of numbers, letters or blank, designating additional functions or options (up to 4 characters)



Philip Pedersen vei 11,
NO-1366 Lysaker, Norway

Date: 2025-10-09

Yasaman Vadoudi

Signature: Yasaman Vadoudi
Certification Department

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Building-in Power Supply Family

Name and address of the applicant

Bel Fuse Inc.
300 Executive Drive, Suite 300
West Orange NJ 07052
United States of America

Name and address of the manufacturer

Bel Fuse Inc.
300 Executive Drive, Suite 300
West Orange NJ 07052
United States of America

Name and address of the factory

Bel Power Solutions, s.r.o.
Areal ZTS 924
Dubnica nad Vahom 01841
Slovakia

 Additional Factories on Page 2

Note: When more than one factory, please report on page 2

Ratings and Principal characteristics

Input: 44-220Vdc



Customer's Testing Facility (CTF) Stage used

CTF Stage 3

Model/Type Ref.

DKxxxx-zw DSxxxx-zw

 Additional Information on Page 2

Additional information (if necessary may also be reported on Page 2)

IEC 62368-1:2023

A sample of the product was tested and found to be in conformity with

REP117348

As shown in the Test Report Ref. No. which forms part of this Certificate

This CB Test Certificate is issued by the National Certification Body

Philip Pedersen vei 11,
NO-1366 Lysaker, Norway

Date: 2025-10-09

Yasaman Vadoudi

Signature: Yasaman Vadoudi
Certification Department

Additional Information

Output rating, see Test Report.

x can be 0 thru 9 designating output options

z can be 0,5,6,7,9 designating ambient rating

w can be any combination of numbers, letters or blank, designating additional functions or options (up to 4 characters)



Philip Pedersen vei 11,
NO-1366 Lysaker, Norway

Date: 2025-10-09

Yasaman Vadoudi

Signature: Yasaman Vadoudi
Certification Department

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Building-in Power Supply Family

Name and address of the applicant

Bel Fuse Inc.
300 Executive Drive, Suite 300
West Orange NJ 07052
United States of America

Name and address of the manufacturer

Bel Fuse Inc.
300 Executive Drive, Suite 300
West Orange NJ 07052
United States of America

Name and address of the factory

Bel Power Solutions, s.r.o.
Areal ZTS 924
Dubnica nad Vahom 01841
Slovakia

 Additional Factories on Page 2

Note: When more than one factory, please report on page 2

Ratings and Principal characteristics

Input: 28-140Vdc



Customer's Testing Facility (CTF) Stage used

CTF Stage 3

Model/Type Ref.

CKxxxx-zw CSxxxx-zw

 Additional Information on Page 2

Additional information (if necessary may also be reported on Page 2)

IEC 62368-1:2023

A sample of the product was tested and found to be in conformity with

REP117348

As shown in the Test Report Ref. No. which forms part of this Certificate

This CB Test Certificate is issued by the National Certification Body

Philip Pedersen vei 11,
NO-1366 Lysaker, Norway

Date: 2025-10-09

Yasaman Vadoudi

Signature: Yasaman Vadoudi
Certification Department

Additional Information

Output rating, see Test Report.

x can be 0 thru 9 designating output options

z can be 0,5,6,7,9 designating ambient rating

w can be any combination of numbers, letters or blank, designating additional functions or options (up to 4 characters)



Philip Pedersen vei 11,
NO-1366 Lysaker, Norway

Date: 2025-10-09

Yasaman Vadoudi

Signature: Yasaman Vadoudi
Certification Department

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Building-in Power Supply Family

Name and address of the applicant

Bel Fuse Inc.
300 Executive Drive, Suite 300
West Orange NJ 07052
United States of America

Name and address of the manufacturer

Bel Fuse Inc.
300 Executive Drive, Suite 300
West Orange NJ 07052
United States of America

Name and address of the factory

Bel Power Solutions, s.r.o.
Areal ZTS 924
Dubnica nad Vahom 01841
Slovakia

 Additional Factories on Page 2

Note: When more than one factory, please report on page 2

Ratings and Principal characteristics

Input: 14-70Vdc



Trademark /Brand (if any)



Customer's Testing Facility (CTF) Stage used

CTF Stage 3

Model/Type Ref.

BKxxxx-zw BSxxxx-zw

 Additional Information on Page 2

Additional information (if necessary may also be reported on Page 2)

IEC 62368-1:2023

A sample of the product was tested and found to be in conformity with

REP117348

As shown in the Test Report Ref. No. which forms part of this Certificate

This CB Test Certificate is issued by the National Certification Body

Philip Pedersen vei 11,
NO-1366 Lysaker, Norway

Date: 2025-10-09

Yasaman Vadoudi

Signature: Yasaman Vadoudi
Certification Department

Additional Information

Output rating, see Test Report.

x can be 0 thru 9 designating output options

z can be 0,5,6,7,9 designating ambient rating

w can be any combination of numbers, letters or blank, designating additional functions or options (up to 4 characters)



Philip Pedersen vei 11,
NO-1366 Lysaker, Norway

Date: 2025-10-09

Yasaman Vadoudi

Signature: Yasaman Vadoudi
Certification Department

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Building-in Power Supply Family

Name and address of the applicant

Bel Fuse Inc.
300 Executive Drive, Suite 300
West Orange NJ 07052
United States of America

Name and address of the manufacturer

Bel Fuse Inc.
300 Executive Drive, Suite 300
West Orange NJ 07052
United States of America

Name and address of the factory

Bel Power Solutions, s.r.o.
Areal ZTS 924
Dubnica nad Vahom 01841
Slovakia

 Additional Factories on Page 2

Note: When more than one factory, please report on page 2

Ratings and Principal characteristics

Input: 8-35Vdc

 or 

Customer's Testing Facility (CTF) Stage used

CTF Stage 3

Model/Type Ref.

AKxxxx-zw ASxxxx-zw

 Additional Information on Page 2

Additional information (if necessary may also be reported on Page 2)

IEC 62368-1:2023

A sample of the product was tested and found to be in conformity with

REP117348

As shown in the Test Report Ref. No. which forms part of this Certificate

This CB Test Certificate is issued by the National Certification Body

Philip Pedersen vei 11,
NO-1366 Lysaker, Norway

Date: 2025-10-09

Yasaman Vadoudi

Signature: Yasaman Vadoudi
Certification Department

Additional Information

Output rating, see Test Report.

x can be 0 thru 9 designating output options

z can be 0,5,6,7,9 designating ambient rating

w can be any combination of numbers, letters or blank, designating additional functions or options (up to 4 characters)



Philip Pedersen vei 11,
NO-1366 Lysaker, Norway

Date: 2025-10-09

Yasaman Vadoudi

Signature: Yasaman Vadoudi
Certification Department