

RoHS Certificates of Compliance for Customer

This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.

Issue Date:

RoHS Directive 2011/65/EU and any future amendments, addendum and decisions

01 March, 2024

Suppl	lier l	Info	rmat	tion
-------	--------	------	------	------

Company Name	Contact Name	<u> Phone – Contact</u>	Email – Contact
Bel Fuse Inc	Martina Supakova	+421 905 407 316	Martina.Supakova@psbel.com
	Global Environme	ental Compliance	
	Manager	•	
Company Address	Authorized Repr	<u>Phone – Representative</u>	Email – Representative
300 Executive Drive	Martina Supakova	+421 905 407 316	Martina.Supakova@psbel.com
Suite 300	Global Environme	Global Environmental Compliance	
West Orange, NJ 07052	Manager		
United States			
Family Series	Part Number	Description	Cert. revision
PSB	See Annex I	POWER SUPPLY	002

1 of 4

UAF.01856 AF



RoHS Material Composition Declaration RoHS Definition per Directive 2011/65/EU and 2015/863: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr(VI)), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP) and quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium (Cd) Supplier certifies that it gathered the information it provides in this form concerning RoHS restrictive substances using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Customer acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. ☐ 1 - Item does not contain RoHS restricted substances per the definition above □ 2 - Item contains RoHS restricted substances above the limits per the definition above and is not under exemption. Please specify: ☐ Bis(2-ethylhexyl) phthalate (DEHP). Will be restricted from 22 July 2019 per Directive 2015/863 ☐ Butyl benzyl phthalate (BBP). Will be restricted from 22 July 2019 per Directive 2015/863 ☐ Dibutyl phthalate (DBP). Will be restricted from 22 July 2019 per Directive 2015/863 ☐ Diisobutyl phthalate (DIBP). Will be restricted from 22 July 2019 per Directive 2015/863 ☐ Lead (Pb), Mercury (Hg), Cadmium (Cd), Hexavalent Chromium (Cr(VI)), Polybrominated Biphenyls (PBB) or Polybrominated Diphenyl Ethers (PBDE). Restricted from 3 Jan 2013 per Directive 2011/65/EU (Non-compliant) \(\times 3\) - Item does not contain RoHS restricted substances per the definition above, except for selected exemptions identified below

2 of 4

UAF.01856 AF



-	ed item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select in the RoHS Declaration above and select all applicable exemptions.
Exemption List from Direct	tive 2011/65/EU - Annex III
	ng element in steel for machining purposes containing up to 0.35% lead by weight and in batch hot dip galvanised steel to 0.2% lead by weight ($6(a)$ expires 30 June 2019)
\Box 6(b)-I Lead as an alloying recycling (6(b) expires 30.	ng element in aluminium containing up to 0,4 % lead by weight, provided it stems from lead-bearing aluminium scrap <i>June 2019</i>)
	ing element in aluminium for machining purposes with a lead content up to 0,4 % by weight (6(b) expires 30 June 2019) gelement in copper containing up to 4% lead by weight.
	ag temperature type solders (i.e. lead-based alloys containing 85% by weight or more lead)
⊠ 7(c)-I Electrical and ele devices, or in a glass or cer	etronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic amic matrix compound.
⊠ 7(c)-II Lead in dielectri	c ceramic in capacitors for a voltage of 125 V AC or 250 V DC or higher.
(excluding hermetic therm	compounds in electrical contacts used in: circuit breakers; thermal sensing controls; thermal motor protectors all motor protectors); AC switches rated at: • 6 A and more at 250 V AC and more; or • 12 A and more at 125 V AC and 20 A and more at 18 V DC and more; and switches for use at vo ltage supply frequency ≥ 200 Hz
☐ 15 Lead in solders to co	mplete a viable electrical connection between semiconductor die and carrier within integrated circuit flip chip packages. I trimmer potentiometer elements
	ayer of high voltage diodes on the basis of a zinc borate glass body
If other exemptions are req	uired to be reported please enter below:
Declaration Signature	
Supplier Signature	Justilian 01 March, 2024

3 of 4

UAF.01856_AF



Annex I

Bel Fuse Inc. Part Number	Bel Fuse Inc. Part Number
PSB123-9IRG	PSB483A-9IRG
PSB123-9LIRG	PSB245-9IRG
PSB125-9IPG	PSB125-9IRG
PSB125-9LIRCG	PSB246-2IRG
PSB125-9LIRG	PSB25Z5A-9LIRG
PSB155-9IPG	PSB363-7IRG
PSB155-9IRCG	PSB363-7LIRG
PSB155-9IRG	PSB363-9IRCG
PSB155-9LIPCG	PSB363-9IRG
PSB155-9LIPG	PSB363-9LIRCG
PSB155-9LIRCG	PSB363-9LIRG
PSB243-9IRCG	PSB483-9IRG
PSB243-9IRG	PSB483-9LIRG
PSB243-9LIRCG	PSB5A7-9IPG
PSB243-9LIRG	PSB5A7-9IRCG
PSB245-9IPG	PSB5A7-9IRG
PSB245-9IRCG	PSB5A7-9LIPCG
PSB245-9LIRCG	PSB5A7-9LIRCG
PSB245-9LIRG	PSB5A7-9LIRG
PSB245-9LPCG	PSB5A8-2IRG
PSB246-2G	